FAXED TO
DI MUELLER
10/25/00
(909) 596-3733

FROM FIG. 45B

DOWNSTREAM EQUALIZATION

1128

CU SENDS EQUALIZATION TRAINING DATA TO RU SIMULTANEOUSLY ON 8 CHANNELS SPREAD ON EACH CHANNEL BY ONE OF THE FIRST 8 ORTHOGONAL CYCLIC CODES MODULATED BY BPSK.

1130

RU RECEIVER RECEIVES EQUALIZATION TRAINING DATA IN MULTIPLE ITERATIONS AND USES LMS 830, FFE 765, DFE 820 AND DIFFERENCE CALCULATION CIRCUIT 832 TO CONVERGE ON PROPER FFE AND DFE TAP WEIGHT COEFFICIENTS.

1132

AFTER CONVERGENCE, CPU READS FINAL TAP WEIGHT COEFFICIENTS FOR FFE 765 AND DFE 820 AND ~~LOADS THESE TAP WEIGHT COEFFICIENTS INTO FFE/DFE CIRCUIT 764~~; CPU SETS FFE 765 AND DFE 820 COEFFICIENTS TO INITIALIZATION VALUES.

CONVOLVES THESE SE FILTER TAP WEIGHTS WITH THE OLD FILTER TAP WEIGHTS OF THE FFE AN DFE FILTERS OF CE CIRCUIT 764 AND LOADS THE NEWLY CALCULATED TAP WEIGH INTO THE FFE AND DFE FILTERS OF THE CE CIRCU

~~54C~~
FIG. ~~45C~~
53C



FIG. 45B

54B

53B

CONFIDENTIAL

Initial 2-Step Training Algorithm



2-STEP INITIAL EQUALIZATION TRAINING

FIG. 60